www.fcsc.co.in

fcsc
bond with your build

FOR INTERNAL
AND EXTERNAL USE

FASTER INSTALLATION

FASTER INSTALLATION
WITH LESS MANPOWER



DRYMIXCRETE

TECHNICAL DATA SHEET

2024

SIMPLE AND MASON
FRIENDLY MATERIAL

BETTER COVERAGE

ECONOMICAL

DRYMIXCRETE

(Dry premixed bagged concrete)

Drymixcrete is a user friendly, pre blended concrete solution. High quality raw materials (Cement, Sand & Coarse Aggregates) are proportionally blended to produce high quality concrete, requiring the addition of water before pouring concrete at the site.

Technical Specification:


	Product Specification*	Reference code
Packaging	50 Kg Laminated PP Bag	
Grade of concrete	M-35	IS 456
Water requirement	4.0-5.0 Litre Per 50 Kg bag	
Compressive Strength (28 Days)	M-35: 35 MPa	IS 516 | IS 456
Workability (Slump)	120 ± 25 mm	IS 1199 | IS 456
Initial Setting Time (Min)	180 - 220	IS 1199
Final Setting Time (Min)	400 - 500	IS 1199

Application Areas

- Small quantity requirements
- Repairs of road and bridges
- Minor structural repairs
- Column starters
- Columns, Foundations
- Slabs
- Interior repair works
- Staircases
- Concreting in remote areas



Application Process



Advantages

- Ready to use. Need to mix it with water only.
- Minimum Storage Area required, replacing the conventional system of storage of cement, sand & Aggregates.
- Available in 50kg Bags.
- Faster execution and minimum manpower required for concrete mixing.
- Assured Quality Product.

Benefits

- Highly Durable
- High strength as compared with site mix
- High performance
- Economical
- Zero wastage
- Reduced labour requirement
- Hassle Free

www.fcsc.co.in

Scan the QR code to know more about our other products



Manufacturer Details: A product of

fcsc
bond with your build

Disclaimer

Information given in the data sheet is only a guideline for usage. Users are advised to undertake trial for product suitability prior to its full scale usage. There is no implies guaranty/warranty for the results and the company is not liable for any consequential damages.